

620/J/US/AU MINIPISTRELLO

design gae aulenti, 1965



The mini version of the famous Pipistrello lamp designed by Gae Aulenti in 1965 won immediate recognition as an example of a perfect rereading, in a contemporary key, of a timeless original. Minipistrello is acclaimed in Italy and even more abroad where it is now a true "object du desir".

Glazed stainless steel structure, white opal methacrylate diffuser is secured to the support with a decorative knob that matches the finish of the base available in the following standard finishes: dark brown /J/MA, white /J/BI, purple red /J/RO, copper /J/CU, golden /J/AU and titanium /J/TI. As well as in the following new colors: agave green /J/VE and satin brass /J/OT.

Lamp: 7W LED Integral 2700K – Electronic driver located on the plug.

620/J/US/AU minipistrello

family:	pipistrello	Body Color:	other available colors
Designers:	Gae Aulenti	Diffuser Color:	
Utilization:	indoor	Body Materials:	stainless steel
Typology:	table lamps	Diffuser Materials:	opal white methacrylate
Certifications:			

Dimensions

Width:	-
Height:	13.78 " / 35 cm
Length:	-
Depth:	-
Diameter:	10.63 " / 27 cm

Net weight: 5.51 lbs / 2.5 Kg

Light Source

Watt:	7W
Lumen:	700 lm
Light Source:	led
CRI:	>80
duration:	50000 h
CCT:	2700K
Energy degree:	A++

Device Specifications

Type of emission:	diffused	Power cable length:	72.83 " / 185 cm	Driver:	included
Power:	9W	Steel cable length:	-	Power supply assembly:	external
Light output:	374lm			Power supply:	electronic driver on the plug
Beam angle:	-			Type of dimming:	-
				Voltage:	120V

620/J/US/BI MINIPISTRELLO

design gae aulenti, 2013



The mini version of the famous Pipistrello lamp designed by Gae Aulenti in 1965 won immediate recognition as an example of a perfect rereading, in a contemporary key, of a timeless original. Minipistrello is acclaimed in Italy and even more abroad where it is now a true "object du desir".

Glazed stainless steel structure, white opal methacrylate diffuser is secured to the support with a decorative knob that matches the finish of the base available in the following standard finishes: dark brown /J/MA, white /J/BI, purple red /J/RO, copper /J/CU, golden /J/AU and titanium /J/TI. As well as in the following new colors: agave green /J/VE and satin brass /J/OT.

Lamp: 7W LED Integral 2700K – Electronic driver located on the plug.

620/J/US/BI minipistrello

family:	pipistrello	Body Color:	<input type="radio"/> other available colors <input type="radio"/> <input type="radio"/> <input type="radio"/> <input type="radio"/> <input type="radio"/>
Designers:	Gae Aulenti	Diffuser Color:	<input type="radio"/>
Utilization:	indoor	Body Materials:	stainless steel
Typology:	table lamps	Diffuser Materials:	opal white methacrylate
Certifications:			

Dimensions

Width:	-
Height:	13.78 " / 35 cm
Length:	-
Depth:	-
Diameter:	10.63 " / 27 cm

Net weight: 5.51 lbs / 2.5 Kg

Light Source

Watt:	7W
Lumen:	700 lm
Light Source:	led
CRI:	>80
duration:	50000 h
CCT:	2700K
Energy degree:	A++

Device Specifications

Type of emission:	diffused	Power cable length:	72.83 " / 185 cm	Driver:	included
Power:	7W	Steel cable length:	-	Power supply assembly:	external
Light output:	700lm			Power supply:	electronic driver on the plug
Beam angle:	-			Type of dimming:	-
				Voltage:	120V

620/J/US/CU MINIPISTRELLO

design gae aulenti, 2013



The mini version of the famous Pipistrello lamp designed by Gae Aulenti in 1965 won immediate recognition as an example of a perfect rereading, in a contemporary key, of a timeless original. Minipistrello is acclaimed in Italy and even more abroad where it is now a true "object du desir".

Glazed stainless steel structure, white opal methacrylate diffuser is secured to the support with a decorative knob that matches the finish of the base available in the following standard finishes: dark brown /J/MA, white /J/BI, purple red /J/RO, copper /J/CU, golden /J/AU and titanium /J/TI. As well as in the following new colors: agave green /J/VE and satin brass /J/OT.

Lamp: 7W LED Integral 2700K – Electronic driver located on the plug.

620/J/US/CU minipistrello

family:	pipistrello	Body Color:	other available colors
Designers:	Gae Aulenti	Diffuser Color:	
Utilization:	indoor	Body Materials:	stainless steel
Typology:	table lamps	Diffuser Materials:	opal white methacrylate
Certifications:			

Dimensions

Width:	-
Height:	13.78 " / 35 cm
Length:	-
Depth:	-
Diameter:	10.63 " / 27 cm

Net weight: 5.51 lbs / 2.5 Kg

Light Source

Watt:	7W
Lumen:	700 lm
Light Source:	led
CRI:	>80
duration:	50000 h
CCT:	2700K
Energy degree:	A++

Device Specifications

Type of emission:	diffused	Power cable length:	72.83 " / 185 cm	Driver:	included
Power:	9W	Steel cable length:	-	Power supply assembly:	external
Light output:	374lm			Power supply:	electronic driver on the plug
Beam angle:	-			Type of dimming:	-
				Voltage:	120V

620/J/US/MA MINIPISTRELLO

design gae aulenti, 2013



The mini version of the famous Pipistrello lamp designed by Gae Aulenti in 1965 won immediate recognition as an example of a perfect rereading, in a contemporary key, of a timeless original. Minipistrello is acclaimed in Italy and even more abroad where it is now a true "object du desir".

Glazed stainless steel structure, white opal methacrylate diffuser is secured to the support with a decorative knob that matches the finish of the base available in the following standard finishes: dark brown /J/MA, white /J/BI, purple red /J/RO, copper /J/CU, golden /J/AU and titanium /J/TI. As well as in the following new colors: agave green /J/VE and satin brass /J/OT.

Lamp: 7W LED Integral 2700K – Electronic driver located on the plug.

620/J/US/MA minipistrello

family:	pipistrello	Body Color:	other available colors
Designers:	Gae Aulenti	Diffuser Color:	white
Utilization:	indoor	Body Materials:	stainless steel
Typology:	table lamps	Diffuser Materials:	opal white methacrylate
Certifications:			

Dimensions

Width:	-	Net weight:	5.51 lbs / 2.5 Kg
Height:	13.78 " / 35 cm		
Length:	-		
Depth:	-		
Diameter:	10.63 " / 27 cm		

Device Specifications

Type of emission:	diffused	Power cable length:	72.83 " / 185 cm	Driver:	included
Power:	9W	Steel cable length:	-	Power supply assembly:	external
Light output:	374lm			Power supply:	electronic driver on the plug
Beam angle:	-			Type of dimming:	-
				Voltage:	120V



620/J/US/OT MINIPIPISTRELLO

design gae aulenti, 2013

The mini version of the famous Pipistrello lamp designed by Gae Aulenti in 1965 won immediate recognition as an example of a perfect rereading, in a contemporary key, of a timeless original. Minipipistrello is acclaimed in Italy and even more abroad where it is now a true "object du desir".

Glazed stainless steel structure, white opal methacrylate diffuser is secured to the support with a decorative knob that matches the finish of the base available in the following standard finishes: dark brown /J/MA, white /J/BI, purple red /J/RO, copper /J/CU, golden /J/AU and titanium /J/TI.

As well as in the following new colors: agave green /J/VE and satin brass /J/OT.

Lamp: 7W LED Integral 2700K – Electronic driver located on the plug.

620/J/US/OT minipipistrello

family:	pipistrello	Body Color:	 other available colors
Designers:	Gae Aulenti	Diffuser Color:	
Utilization:	indoor	Body Materials:	stainless steel
Typology:	table lamps	Diffuser Materials:	opal white methacrylate
Certifications:			

Dimensions

Width:	-
Height:	13.78 " / 35 cm
Length:	-
Depth:	-
Diameter:	10.63 " / 27 cm

Net weight: 5.51 lbs / 2.5 Kg

Light Source

Watt:	7W
Lumen:	700 lm
Light Source:	led
CRI:	>80
duration:	50000 h
CCT:	2700K
Energy degree:	A++

Device Specifications

Type of emission:	diffused	Power cable length:	72.83 " / 185 cm	Driver:	included
Power:	9W	Steel cable length:	-	Power supply assembly:	external
Light output:	374lm			Power supply:	electronic driver on the plug
Beam angle:	-			Type of dimming:	-
				Voltage:	120V

620/J/US/RO MINIPIPISTRELLO

design gae aulenti, 2016



The mini version of the famous Pipistrello lamp designed by Gae Aulenti in 1965 won immediate recognition as an example of a perfect rereading, in a contemporary key, of a timeless original. Minipipistrello is acclaimed in Italy and even more abroad where it is now a true "object du desir".

Glazed stainless steel structure, white opal methacrylate diffuser is secured to the support with a decorative knob that matches the finish of the base available in the following standard finishes: dark brown /J/MA, white /J/BI, purple red /J/RO, copper /J/CU, golden /J/AU and titanium /J/TI. As well as in the following new colors: agave green /J/VE and satin brass /J/OT.

Lamp: 7W LED Integral 2700K – Electronic driver located on the plug.

620/J/US/RO minipipistrello

family:	pipistrello	Body Color:	other available colors
Designers:	Gae Aulenti	Diffuser Color:	
Utilization:	indoor	Body Materials:	stainless steel
Typology:	table lamps	Diffuser Materials:	opal white methacrylate
Certifications:			

Dimensions

Width:	-
Height:	13.78 " / 35 cm
Length:	-
Depth:	-
Diameter:	10.63 " / 27 cm

Net weight: 5.51 lbs / 2.5 Kg

Light Source

Watt:	7W
Lumen:	700 lm
Light Source:	led
CRI:	>80
duration:	50000 h
CCT:	2700K
Energy degree:	A++

Device Specifications

Type of emission:	diffused	Power cable length:	72.83 " / 185 cm	Driver:	included
Power:	9W	Steel cable length:	-	Power supply assembly:	external
Light output:	374lm			Power supply:	electronic driver on the plug
Beam angle:	-			Type of dimming:	-
				Voltage:	120V

620/J/US/TI MINIPISTRELLO

design gae aulenti, 2013



The mini version of the famous Pipistrello lamp designed by Gae Aulenti in 1965 won immediate recognition as an example of a perfect rereading, in a contemporary key, of a timeless original. Minipistrello is acclaimed in Italy and even more abroad where it is now a true "object du desir".

Glazed stainless steel structure, white opal methacrylate diffuser is secured to the support with a decorative knob that matches the finish of the base available in the following standard finishes: dark brown /J/MA, white /J/BI, purple red /J/RO, copper /J/CU, golden /J/AU and titanium /J/TI. As well as in the following new colors: agave green /J/VE and satin brass /J/OT.

Lamp: 7W LED Integral 2700K – Electronic driver located on the plug.

620/J/US/TI minipistrello

family:	pipistrello	Body Color:	<input type="checkbox"/> other available colors <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>
Designers:	Gae Aulenti	Diffuser Color:	<input type="checkbox"/>
Utilization:	indoor	Body Materials:	stainless steel
Typology:	table lamps	Diffuser Materials:	opal white methacrylate
Certifications:	<input type="checkbox"/> IP20 <input type="checkbox"/> ENEC <input type="checkbox"/> UL <input type="checkbox"/> CE		

Dimensions

Width:	-
Height:	13.78 " / 35 cm
Length:	-
Depth:	-
Diameter:	10.63 " / 27 cm

Net weight: 5.51 lbs / 2.5 Kg

Light Source

Watt:	7W
Lumen:	700 lm
Light Source:	led
CRI:	>80
duration:	50000 h
CCT:	2700K
Energy degree:	A++

Device Specifications

Type of emission:	diffused	Power cable length:	72.83 " / 185 cm	Driver:	included
Power:	9W	Steel cable length:	-	Power supply assembly:	external
Light output:	374lm			Power supply:	electronic driver on the plug
Beam angle:	-			Type of dimming:	-
				Voltage:	120V

620/J/US/VE MINIPISTRELLO

design gae aulenti, 2013



The mini version of the famous Pipistrello lamp designed by Gae Aulenti in 1965 won immediate recognition as an example of a perfect rereading, in a contemporary key, of a timeless original. Minipistrello is acclaimed in Italy and even more abroad where it is now a true "object du desir".

Glazed stainless steel structure, white opal methacrylate diffuser is secured to the support with a decorative knob that matches the finish of the base available in the following standard finishes: dark brown /J/MA, white /J/BI, purple red /J/RO, copper /J/CU, golden /J/AU and titanium /J/TI. As well as in the following new colors: agave green /J/VE and satin brass /J/OT.

Lamp: 7W LED Integral 2700K – Electronic driver located on the plug.

620/J/US/VE minipistrello

family:	pipistrello	Body Color:	other available colors
Designers:	Gae Aulenti	Diffuser Color:	
Utilization:	indoor	Body Materials:	stainless steel
Typology:	table lamps	Diffuser Materials:	opal white methacrylate
Certifications:			

Dimensions

Width:	-
Height:	13.78 " / 35 cm
Length:	-
Depth:	-
Diameter:	10.63 " / 27 cm

Net weight: 5.51 lbs / 2.5 Kg

Light Source


Watt:	7W
Lumen:	700 lm
Light Source:	led
CRI:	>80
duration:	50000 h
CCT:	2700K
Energy degree:	A++

Device Specifications

Type of emission:	diffused	Power cable length:	72.83 " / 185 cm	Driver:	included
Power:	9W	Steel cable length:	-	Power supply assembly:	external
Light output:	374lm			Power supply:	electronic driver on the plug
Beam angle:	-			Type of dimming:	-
				Voltage:	120V



technical drawing



Dimensions

Width: -
Height: 13.78 " / 35 cm
Length: -
Depth: -
Diameter: 10.63 " / 27 cm

Net weight: 5.51 lbs / 2.5 Kg

photometrics data

