

APPLIQUE À VOLET PIVOTANT PLIÉ

Charlotte Perriand

Wall lamps with aluminium adjustable diffuser “volet” and metal structure.

Structure painted in white, diffuser “volet” in natural anodized aluminium, black anodized aluminium or mirror polished stainless steel.

For the small versions E14 and LED versions, the “volet” could be painted in red, yellow or blue.

E14 version is equipped with integrated switch (on board), cable and plug for a simple and free installation.

Indirect light output towards the wall and orientable flood beam.



E14 LED/HALO/FLUO

LAMPING

Source	E14
Total power	2x40W
Emission	indirect orientable
Switching	dimmable according to bulb
Tension	230V
Materials	aluminium
Notes	indirect orientable, bulb Ø3cm max
Net lamp weight	1,25 kg

Codes

AVP EWD 32

AVP EWN 32

Structure/Diffuser

white/aluminium


white/black

PACKAGE

Package 01

Dimension: 23x37x10 cm / Gross weight: 1,75 kg

Certificazioni



R7S HALO

LAMPING

Source	R7s (75mm)
Total power	2x80W
Emission	indirect orientable
Switching	dimnable
Tension	230V
Materials	aluminium
Notes	indirect orientable
Net lamp weight	1,35 kg

Codes

AVP HWD 32

AVP HWN 32

Structure/Diffuser

white/aluminium


white/black

PACKAGE

Package 01

Dimension: 25x36x14 cm / Gross weight: 1,85 kg

Certificazioni



LED

LAMPING

Source	LED board
Total power	20W
Emission	indirect orientable
Tension	110/230V
Color temperature	3000K
Luminous flux	826lm (source luminous flux)
Typ cri	85
Energy class	A+
Materials	aluminium
Notes	indirect orientable, red RAL 3002, yellow RAL 1033, blue RAL 5002
Net lamp weight	1,25 kg

Codes

AVP LWD 32
AVP LWN 32
AVP LWW 32
AVP LWR 32
AVP LWG 32
AVP LWB 32

Structure/Diffuser

white/aluminium
white/black
white/white
white/red
white/yellow
white/blue

PACKAGE

Package 01 Dimension: 23x37x10 cm / Gross weight: 1,75 kg

Certificazioni

