CLEANING INSTRUCTIONS

Before cleaning, lighting fixtures must be turned off. Unscrewed the face from the mounting plate for finer cleaning. Whilst cleaning please take care and use the gloves provided.

I. METAL

The metal used for our range oxidise with age and environment, both of which contribute to the evolution of a natural patina. If you favour the original bright finish of your pieces, this is easily restored by use of polishing solution - we recommend Braso or Silvo depending on the metal in question - applied with a soft, clean cloth.

Because each object is cast in small batches, slight variations will occur from one individual piece to another. Production marks may include slight pour ripples or surface pitting, which imprint every item with a unique character.




OVERALL DIMENSIONS

I. NARROW

н 205мм × D 95мм × W 100мм н 8.07іп × D 3.74іп × W 3.93іп

II. WIDE

н 205мм × D 95мм × W 130мм н 8.07іп × D 3.74іп × W 5.11іп





I. METAL

MATERIALS



Brass



Blackened



Aluminium

WEIGHT

I. NARROW

Aluminium (700g / 24.6oz)

Brass / Blackened (1,500g / 52.91oz)

II. WIDE


Aluminium (750g / 26.4oz)

Brass / Blackened (1,550g / 56.43oz)

PACKAGING

Recycled Cardboard H 125MM × L 200MM × W 200MM

ELBOW WALL LIGHT



PRODUCT SPECIFICATIONS

AU / UK / EU

LIGHTBULB TYPE 5W (Supplied)

FITTING DESCRIPTION GU10

SUGGESTED LUMEN RATING

400ьм

WATTAGE

5w Equiv 50w Incandescent

KELVIN RATING 2700κ-3000κ Warm White

VOLTAGE 220-240V / 60HZ AC

DIMMABILITY

Yes (Dimmer not supplied)

HARDWIRED LAMPS MUST BE INSTALED BY A PROFESSIONAL.

US / JPN

LIGHTBULB TYPE 5W (Not supplied)

FITTING DESCRIPTION GU10

SUGGESTED LUMEN RATING

WATTAGE

5w Equiv 50w Incandescent

KELVIN RATING 2700κ-3000κ Warm White

VOLTAGE 110-120V / 60HZ AC

DIMMABILITY
Yes (Dimmer not supplied)

HARDWIRED LAMPS MUST BE INSTALED BY A PROFESSIONAL.

LISTED PARTS *

E3810 **UL Lamp Holder**

UL Cord ELBZ . E465216

ELBZ . E465216 Canda